

SISLAX/EHS/2026-27/

Date: 30/06/2026

To,
The Joint Director
Northern Regional Office
Ministry of Environment & Forests, Govt. of India
Bays No. 24-25, Sector 31 A, Dakshin Marg,
Chandigarh - 160030

Subject: - Present Status regarding implementation of different Environment Safeguards

Reference: Submission of Six-Monthly Progress report of Month Oct 2025 to June 2026 for M/s Sislax Pharma Pvt Ltd., Plot No.237, Industrial Area, Phase – II, Panchkula, Haryana.

Respected Sir,

This has reference to Six-Monthly Compliance report of M/s Sislax Pharma Pvt Ltd., Plot No.237, Industrial Area, Phase II, Panchkula, Haryana for the period up to **Oct 2025 to June 2026**.

Please find enclosed the six-monthly compliance status report. We hope you will find our reply in order.

Next Six-monthly progress report in soft copies shall be submitted in December 2026.

Thank you

M/s Sislax Pharma Pvt Ltd., Plot No.237, Industrial Area, Phase – II, Panchkula, Haryana

(Atul Kumar Chaubey)
Authorized Signatory
Vice President - ESG, Admin & Corporate Affairs.
Mobile No. 9114001246
Email: atul.chaubey@synthimed.com

Enclosures:

1. Production figures from Oct - 2025 to March – 2026 are attached as Annexure- I.
2. Copies of Renewed Consent of Air, Water & Hazardous waste authorization are attached as per Annexure -II.
3. Environment & Safety Training is attached as per Annexure- III.
4. MDC Data from 2018 – 2025-26 (Till March- 2026) is attached as per Annexure- IV.
5. Form – 4 for FY 2025-26 and Form - 3 from April - 2025 to March -2026 are attached as Annexure- V.
6. Latest Monitoring Report in respect of Stack Emission from Boiler Stack through NABL Accredited Lab are attached as Annexure- VI.
7. Latest Monitoring Report in respect of Work Zone Noise & DG Noise through NABL Accredited Lab are attached as Annexure – VII.
8. Latest Monitoring Report in respect of Ambient Air through NABL Accredited Lab are attached as Annexure – VIII.
9. Latest Monitoring Report in respect of Effluent Water (ETP Inlet & Outlet) through NABL Accredited Lab are attached as Annexure – IX.
10. Latest Monitoring Report in respect of Incinerator Ash through NABL Accredited Lab are attached as Annexure – X.
11. Public Liability Insurance is attached as Annexure - XI.
12. Medical Certificate worker is attached as Annexure - XII.
13. EC Conditions Compliance is attached as Annexure – XIII.

SISLAX PHARMA PVT. LTD.

237, INDUSTRIAL AREA. PHASE II, PANCHKULA 134 113 (CHANDIGARH) INDIA
PHONE : 91 - 172 - 5057237

SISLAX/EHS/2026-27/

Date: 30/06/2026

To,
The Joint Director
Northern Regional Office
Ministry of Environment & Forests, Govt. of India
Bays No. 24-25, Sector 31 A, Dakshin Marg,
Chandigarh - 160030

Subject: - Present Status regarding implementation of different Environment safeguards

Reference: Six Monthly Progress report of Month Oct 2025 to March 2026 for M/s Sislax Pharma Pvt Ltd., Plot No.237, Industrial Area, Phase – II, Panchkula, Haryana.

Respected Sir,

This has reference of Six-Monthly Compliance report of M/s Sislax Pharma Pvt Ltd., Plot No.237, Industrial Area, Phase – II, Panchkula, Haryana for the period up to Oct 2025 to March 2026.

Enclosures:

1. Production figures from Oct - 2025 to March - 2026 are attached as Annexure- I.
2. Copies of Renewed Consent of Air, Water & Hazardous waste authorization are attached as per Annexure -II.
3. Environment & Safety Training is attached as per Annexure- III.
4. MDC Data from 2018 – 2025 - 26 (Till March 2026) is attached as per Annexure- IV.
5. Form – 4 for FY 2025-26 and Form - 3 from April - 2025 to March -2026 are attached as Annexure- V.
6. Latest Monitoring Report in respect of Stack Emission from Boiler Stack through NABL Accredited Lab are attached as Annexure- VI.
7. Latest Monitoring Report in respect of Work Zone Noise & DG Noise through NABL Accredited Lab are attached as Annexure – VII.
8. Latest Monitoring Report in respect of Ambient Air through NABL Accredited Lab are attached as Annexure – VIII.
9. Latest Monitoring Report in respect of Effluent Water (ETP Inlet & Outlet) through NABL Accredited Lab are attached as Annexure – IX.
10. Latest Monitoring Report in respect of Incinerator Ash through NABL Accredited Lab are attached as Annexure – X.
11. Public Liability Insurance is attached as Annexure - XI.
12. Medical Certificate worker is attached as Annexure - XII.
13. EC Conditions Compliance is attached as Annexure – XIII.

For Synthimed Labs Private Limited
Authorised Signatory
(Atul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

SISLAX PHARMA PVT. LTD.

237, INDUSTRIAL AREA. PHASE II, PANCHKULA 134 113 (CHANDIGARH) INDIA
PHONE : 91 - 172 - 5057237

Green belt Development by the company: -

Year	Nos. of Plants planted	Species of Plants planted	Expenditure incurred (in Rs.)
2020 - 2021	1200	1. Ashoka 2. Pam 3. Safeda 4. Nim 5. Kaneria 6. Diff. types of Fruits 7. Diff. types Ornamental Plants 8. Diff. types of Flowers	21000
2021 - 2022	200		20000
2022 - 2023	30		9500
2023 - 2024	40		9800
2024 - 2025	30		8100
2025 - 2026	40		9200

Component wise expenditure on Environment Management Plan: -

S. No.	Items	Expenditure details till Date		Proposed budget estimates for next two years	
		Recurring (Rs.in lacs per Annum)	Non-Recurring (Rs.in lacs)	Recurring (Rs.in lacs per Annum)	Non-Recurring (Rs.in lacs)
A.	APCM	14	90	14	60
B	ETP	381	1000	381	300
C.	Monitoring	3	33	3	5
D.	Occupational health surveillance	6	6	6	4
E.	Rain water Harvesting	Nil	Nil	Nil	20
F.	Green Belt	3	125	3	2
H.	Safety training to workers	2	7	2	2
	Total	409	1261	409	393

Next Six-monthly progress reports in soft copies shall be submitted in December 2026.

We hope you will find our above reply in order. Please let us know if any additional information is desired.

Thanking you,

For M/s Sislax Pharma Pvt Ltd., Plot No.237, Industrial Area, Phase – II, Panchkula, Haryana

(Atul Kumar Chaubey)

Vice President, ESG Admin & Corporate Affairs.

Mobile No. 9814001246

Email: atul.chaubey@synthimed.com

SISLAX PHARMA PVT. LTD.

237, INDUSTRIAL AREA. PHASE II, PANCHKULA 134 113 (CHANDIGARH) INDIA

PHONE : 91 - 172 - 5057237

Sislax Pharma Pvt. Limited

Plot No. 236 – 237; Industrial Area

Phase – II: Panchkula

Phase – II: Panchkula			Product Manufactured in Year - (2025-26)						
S. No.	Products	Production Capacity per month	October	November	December	January	February	March	Total
1	Ampicillin	3 Ton	-	-	-	-	-	-	-
2	Amoxycillin		-	-	-	-	-	-	-
3	Cloxacillin		-	-	-	-	-	-	-
4	Roxithromycin		-	-	-	-	-	-	-
5	Azithromycin		-	-	-	-	-	-	-
6	Intermediate		-	-	-	-	-	-	-
Total: -			2.822	2.840	2.881	2.755	2.679	2.795	16.772

For Synthem Labs Private Limited
 Authorised Signatory
 (Atul Kumar Chaubey)
 VP-ESG, Admin. & Corporate Affairs

Annexure-I

Annexure-II



HSPCB

HARYANA STATE POLLUTION CONTROL BOARD

SCO 116, Ist & IInd Floor, Sector 25, Panchkula
Ph. 0172-2566286 Email:- hspcbropkl@gmail.com

E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 313106023PANCTO37812827

Dated:27/06/2023

To,

M/s :SISLAX PHARMA PVT LTD
237, INDUSTRIAL AREA, PHASE-11, PANCHKULA

Subject: Grant of consent to operate to M/s SISLAX PHARMA PVT LTD.

Please refer to your application no. 37812827 received on dated 2023-05-27 in regional office Panchkula. With reference to your above application for consent to operate, M/s SISLAX PHARMA PVT LTD is hereby granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/10/2023 - 30/09/2026
Industry Type	Pharmaceuticals/Basic Drugs Manufacturing Units
Category	RED
Investment(In Lakh)	298.17999
Total Land Area(Sq. meter)	1830.0
Total Builtup Area(Sq. meter)	1098.0
Quantity of effluent	
1. Trade	1.5 KL/Day
2. Domestic	0.25 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	Sewer
2. Trade	ETP
Domestic Effluent Parameters	
1. NA	0
Trade Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. O & G	10 mg/l
5. Chromium	0.1 mg/l
6. Mercury	0.01 mg/l
7. Arsenic	0.2 mg/l
8. Lead	0.1 mg/l
9. Cyanide	0.1 mg/l

For Synthimed Labs Private Limited
Authorised Signatory
(Atul Kumar Chaudhary)
ESG, Corporate Affairs

10. Phenolics	1.0 mg/l
11. Sulphides	2.0 mg/l
12. Phosphate	5.0 mg/l
Number of stacks	1
Height of stack	
1. Stack attached to Boiler	25 mtr
Emission parameters	
1. SPM	mg/m3
Product Details	
1. AMPICILLIN	0.05 Metric Tonnes/day
2. AMOXYCILLIN	0.05 Metric Tonnes/day
3. CHOLOXACILLIN	0.10 Metric Tonnes/day
4. ROXYTHRO	0.10 Metric Tonnes/day
5. AZITHROMYCIN	0.10 Metric Tonnes/day
6. INTERMEDIATES	0.50 Metric Tonnes/day
Capacity of boiler	
1. Boiler	1.5 Ton/hr
Type of Furnace	
1. NA	0/NA
Type of Fuel	
1. Wood	1.5 Ton/day
2. Diesel	0.015 KL/day
Raw Material Details	
M D C , T E A , ERYTHROMYCIN, HAHCL, TOLVENE, IPA, PIVLOYL CHOLORIDE, IPA, METHANOL, R E L A T E D C H E M I C A L S	050 Metric Tonnes/Day

Regional Officer, Panchkula
Haryana State Pollution Control Board.

Terms and conditions


1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and from any place for non compliance of the terms and conditions of his consent order.

For Symantec Private Limited
Authorised Signatory
(Atul Kumar Chaubey)
VP-ESG, Corporate Affairs

3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1. Unit will submit A/R under Water/Air/Noise whichever is applicable every year as per policy of the Board.
2. Unit will obtain authorization under HOWM Rules, 2016.
3. That the unit will comply the order/ direction issued by the Hon'ble Supreme Court of India, Punjab & Haryana High Court, NGT, Environment Court or any other court.
4. That the unit will apply for renewal of consent to operate 90 days before expiry of this CTO.


 Authorised Signatory
 (Atul Kumar Chhabra)
 ESG, Corporate Affairs

5. That the unit will comply with the all the Rules/ Regulations/ Acts/ Notification issued by CPCB/ HSPCB and MOEF&CC.

6. In case, any violations is found at any stage, then this CTO, so granted, shall be revoked without giving show cause notice.

VIRENDER
SINGH PUNIA
Regional Officer, Panchkula
Haryana State Pollution Control Board.

Digitally signed by
VIRENDER SINGH PUNIA
Date: 2023.06.27
17:02:06 +05'30'

For Synthimed Labs Private Limited

Authorised Signatory
(Atul Kumar Chaudhary)
VP-ESG, Corporate Affairs

HARYANA STATE

Application no. :5685044
Industry id: 14PAN1507024
Date: 04/07/2023



Haryana State Pollution Control Board

SCO 116, Ist & IInd Floor, Sector 25, Panchkula Ph. 0172-2566286 Email:-
hspcbropkl@gmail.com



No. :HWM/PAN/2023/5685044

DT: 04/07/2023

To

M/s SISLAX PHARMA PVT LTD
237, INDUSTRIAL AREA, PHASE-11, PANCHKULA
Panchkula

Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundary Movement) Rules, 2016

1. Reference of application:5685044 dated: 04/07/2023
2. SATISH BAMBA of SISLAX PHARMA PVT LTD is hereby granted an authorization for generation, storage on the premises situated at 237, INDUSTRIAL AREA, PHASE-11, PANCHKULA

HARYANA STATE Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity
1	Production/formulation of drugs/ pharmaceuticals and health care product, Process Residues and wastes	Authorized Recycler, GEPIL	0.848 T/Annum
2	Industrial operations using mineral/synthetic oil as lubricant in hydraulic systems or other applications, Used/spent oil	Recovery and Reuse-Authorized recyclers	0.40 KL/Annum

1. The authorization shall be valid for a period of 01/10/2023 to 30/09/2026
2. The authorization is subject to the following general and specific conditions :-

1. Unit will submit renewed agreement every year with M/s GEPIL & M/s HEMS for disposal of Hazardous Waste.
2. Unit will renew its authorization as per policy of the Board.
3. Unit will submit annual return under HWM Rules as prescribed in HWM Rules, 2016.
4. Unit will comply with all rules & regulations of HWM Rules, 2016.
5. Unit will apply for renewal of CTO under Water/Air Acts if not obtained/applied yet.
6. Unit will dispose off its waste oil generated from DG Set to authorized waste oil re-cycling units only.
7. Unit shall dispose off its HW generated from ETP at TSDF i.e. M/s GEPIL as per HWM Rules.

For Synthesized HWM
Authorized Signatory
(Atul Kumar Chatterjee)
VP-ESG, Corporate Affairs

**Regional Officer Panchkula
For Haryana State Pollution Control Board**

Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30 th for the period ensuring 31 st March of the year.

VIRENDER
SINGH PUNIA
Regional Officer Panchkula

For Haryana State Pollution Control Board

For Synthimed Labs Private Limited

Authorised Signatory
(Atul Kumar Chaudhary)
VP-ESG, Corporate Affairs

Sislax Pharma (P). Limited**Plot No. 236-237; Phase-II****Industrial Area; Panchkula (HR)****Year: October-2025 to March-2026**

S. No.	Date	Exercise	Remarks
01	09-10-25	Safety Training	Accident prevention
02	12-11-25	Safety Training	General safety rules & PPE
03	11-12-25	Safety Training	Operation of firefighting Equipment's
04	09-01-26	Environment Training	Prevention of water consumption
05	13-02-26	Safety Training	Safe handling of chemicals
06	10-03-26	Safety Training	Types of Fire and Fire Extinguisher

For Synthimed Labs Private Limited
Authorised Signatory
(Atul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

Sislax Pharma Pvt. Limited

Plot No. 236 – 237; Industrial Area


Phase – II: Panchkula

S. No.	Year	MDC Used Quantity (Ltr)	Action Taken	Recovered MDC Reused (Ltr)	Fresh MDC Used (Ltr)	Total MDC Used (Ltr)
1.	2017-18	28830	Used MDC Recovered & then reused in every batch	25950	2880	28830
2.	2018-19	29394	Used MDC Recovered & then reused in every batch	26455	2939	29394
3.	2019-20	29222	Used MDC Recovered & then reused in every batch	26300	2922	29222
4.	2020-21	25220	Used MDC Recovered & then reused in every batch	22700	2520	25220
5.	2021-22	28466	Used MDC Recovered & then reused in every batch	25620	2846	28466
6.	2022-23	25662	Used MDC Recovered & then reused in every batch	23147	2515	25662

For Synthimed Labs Private Limited

Authorised Signatory
(Atul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

7.	2023-24	13572	Used MDC Recovered & then reused in every batch	12215	1357	13572
8.	2024-25	28460	Used MDC Recovered & then reused in every batch	25620	2840	28460
9.	2025-26	28520	Used MDC Recovered & then reused in every batch	25668	2852	28520
10						


For Synthimed Labs Private Limited
Authorised Signatory
(Atul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

OK

Annexure - V
Sis lax

SIS/PKL/EHS/2026-27/

Date: - 17/06/2026

To

The Regional Officer

Haryana State Pollution Control Board

Panchkula (HR)

Subject: - Submission of Form – 4 for the year 2025-26.

Respected Sir,

In context to above cited subject the industry is submitting Form-4 for the year 2025-26 under the Rule 5 of the Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2016.

Copy of Form 4 with Form 3 (April 2025 to March 2026) & related manifests are enclosed along with this letter.

Thanking You

For M/s Sis lax Pharma Pvt. Ltd.


(Authorised Signatory)

Atul Kumar Chaubey

Vice President (ESG, Admin & Corporate Affairs)

Mobile. No. 09814001246

E-mail – atul.chaubey@synthimed.com

SISLAX PHARMA PVT. LTD.

237, INDUSTRIAL AREA, PHASE II, PANCHKULA 134 113 (CHANDIGARH) INDIA
PHONE : 91 - 172 - 5057237

FORM-4
[(See Rule 9(2))]

**FORMAT FOR THE SUBMISSION OF RETURNS REGARDING DISPOSAL OF
HAZARDOUS WASTE**

1. Name and address of the occupier of the Facility :

M/S Sislex Pharma (P) Limited
 Plot No. - 236 & 237; Phase - II
 Industrial Area; Panchkula (HR)

2. Category of wastes generated and Quantities:

Authorization and its Reference No. -

Year – 2025 - 2026

HWM/PAN/2023/5685044

S. No.	Physical form with description	Category no. as per HWM 2016 rules	Chemical form	Unit	Previous year April' 2024 March'25 Balance	Generation during the year (April'25 March' 26	Disposed during the year (April'25 - March 26)	Balance at the end of the year 2025-26
1	Process & DEP Salts	28.1	Organic & Inorganic Salts	kg	0.0	1333	1333	0
2	Incineration Ash	37.2	Organic/ Oxidized Salts	Kg	0.0	14.0	14.0	0
3	Spent Oil/Used Oil	5.1	Oil	Liter	0.0	36	36	0

3. Description of Storage and treatment of hazardous waste:

S. No	Cat. No	Method of storage of hazardous waste	Method of treatment of hazardous waste
1	28.1	Storage in HW Room after packing in HDPE bags	Incineration and leftover Ash transfer to GEPIL.
2	37.2	Storage in HW Room after packing HDPE bags.	It is being disposed to GEPIL.
3	5.1	Storage in HW Room after packing in HDPE Drums	Sent to Authorized Recycler (B.N. Concast Pvt. Ltd.)

4. Details of Waste Disposal Process: (From April'2025 - March'2026)

Date of Issuance of Authorization and its Reference No.	Physical form of Haz. Waste / (Cat. No.)	Chemical Form	Total volume and weight (in Kg/Litre)	Details of Mode of Transportation of Hazardous waste	Site of Disposal	Brief Description of method of Disposal	Date of Disposal	Remarks if Any
1	2	3	4	5	6	7	8	9
No. - HWM/PAN/2 023/5685044 Date:01/10/2023	28.1	Process Salt	1333	-	-	Incineration	-	1333 Kg Incinerated & 0 Kg Stored
	37.2	Incineration Ash	14.0	Special Vehicle	GEPIL Faridabad	-	26.03.2026	0 Kg Stored
	5.1	Spent Oil/Used Oil (Litre)	36	Special Vehicle	BN Concast Barwala	-	14.03.2026	36 Liter sent to Recycler

Name & Address of the Head of Facility

Mr. Atul Kumar Chaubey
(Vice President - ESG)

E-Mail - atul.chaubey@synthimed.com
 M No. - 09814001246

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3
See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste:

Month - April 2025

Physical form with description	Cat. no as per HWM 2016 rules	Chemical form	Unit	Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	111.00	111.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	0.00	1.20	0.00	1.20
Used Oil/Spent Oil	5.1	Oil	Ltr	0	0	0	0

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
1	GEPIIL Faridabad Haryana	Packed in HDPE Bags/Drum Qty - 14.80 Kg	Special Vehicle	03-04-2024

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevent layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N / A	N / A	N / A	N / A

7. Data of Environment Surveillance

Date of Mesurment	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Date	Location of sampling	Date

Name and Signature of Head of Facility

For Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3
See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Physical form with description	Cat. no as per HWM 2016 rules	Chemical form	Unit	Month - May 2025 Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	116.00	116.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	1.20	1.25	0	2.45
Used Oil/Spent Oil	5.1	Oil	Ltr	0	0	0	0

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
	N/A	N/A	N/A	N/A

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevant layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Mesurment	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Data	Location of sampling	Data

Name and Signature of Head of Facility

For Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3
See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sislix Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Month - June 2025

Physical form with description	Cat. no as per HWM 2016 rules	Chemical form	Unit	Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	112.00	112.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	2.45	1.20	0	3.65
Used Oil/Spent Oil	5.1	Oil	Ltr	0.00	0.00	0	0.00

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
	N/A	N/A	N/A	N/A

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevant layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Mesurment	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Data	Location of sampling	Data

Name and Signature of Head of Facility

For Sislix Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3 See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Physical form with description	Cat. no as per HWM 2016 rules	Chemical form	Unit	Month - July 2025 Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	115.00	115.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	3.65	1.30	0	4.95
Used Oil/Spent Oil	5.1	Oil	Ltr	0.00	0.00	0	0.00

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
	N/A	N/A	N/A	N/A

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevant layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Mesurment	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Data	Location of sampling	Data

Name and Signature of Head of Facility

For Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3 See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Month - August 2025

Physical form with description	Cat. no as per HWM 2016 rules	Chemical form	Unit	Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	111.00	111.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	4.95	1.20	0	6.15
Used Oil/Spent Oil	5.1	Oil	Ltr	0.00	0.00	0	0.00

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
	N/A	N/A	N/A	N/A

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevant layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Mesurment	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Data	Location of sampling	Data

Name and Signature of Head of Facility

For Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3
See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Month - September 2025

Physical form with description	Cat. no as per HWM 2016 rules	Chemical form	Unit	Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	112.00	112.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	6.15	1.20	0	7.35
Used Oil/Spent Oil	5.1	Oil	Ltr	0.00	0.00	0	0.00

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
	N/A	N/A	N/A	N/A

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevant layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Mesurment	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Date	Location of sampling	Data

Name and Signature of Head of Facility

For Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3
See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Month - October 2025

Physical form with description	Cat. no as per HWM 2016 rules	Chemical form	Unit	Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	110.00	110.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	7.35	1.10	0	8.45
Used Oil/Spent Oil	5.1	Oil	Ltr	0.00	0.00	0	0.00

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
	N/A	N/A	N/A	N/A

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevant layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Mesurment	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Data	Location of sampling	Data

Name and Signature of Head of Facility

For Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3
See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Month - November 2025

Physical form with description	Cat. no as per HWM 2016 rules	Chemical form	Unit	Total volume and weight (in Kg)			
				Opening	Generation	Treatment /	Closing
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	108.00	108.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	8.45	1.10	0	9.55
Used Oil/Spent Oil	5.1	Oil	Ltr	0.00	0.00	0	0.00

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSD
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
	N/A	N/A	N/A	N/A

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevent layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Measurement	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Date	Location of sampling	Date

Name and Signature of Head of Facility

For-Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3
See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sislix Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Physical form with description	Cat. no as per HWM 2016 rules	Chemical form	Unit	Month - December 2025 Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	114.00	114.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	9.55	1.20	0	10.75
Used Oil/Spent Oil	5.1	Oil	Ltr	0.00	0.00	0	0.00

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
	N/A	N/A	N/A	N/A

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevant layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Measurement	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Data	Location of sampling	Data

Name and Signature of Head of Facility

For Sislix Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3

See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Physical form with description	Cat. no as per HWM 2016 rules	Chemical form	Unit	Month - January 2026 Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	104.00	104.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	10.75	1.10	0	11.85
Used Oil/Spent Oil	5.1	Oil	Ltr	0.00	0.00	0	0.00

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
	N/A	N/A	N/A	N/A

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevant layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Measurement	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Data	Location of sampling	Data

Name and Signature of Head of Facility

For Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3
See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sislax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Month - February 2026

Physical form with description	Cat. no as per HWM 2008 rules	Chemical form	Unit	Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	108.00	108.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	11.85	1.10	0	12.95
Used Oil/Spent Oil	5.1	Oil	Ltr	0	36	0	36

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
	N/A	N/A	N/A	N/A

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevent layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Mesurment	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Data	Location of sampling	Data
					Six Monthly	Scrubber & Stack	Six Monthly treated Water

Name and Signature of Head of Facility

For Sislax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

Format for Maintaining Record of Hazardous Waste at Facility

Form - 3

See Rule 9(2)

1. Name and address of Occupier or operator of Facility

M/S Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)

2. Date of Issuance of Authorization and its Reference No.

01-10-2023
No. - HWM/PAN/2023/5685044

3. Description of Hazardous Waste

Physical form with description	Cat. no as per HWM 2008 rules	Chemical form	Unit	Month - March 2026 Total volume and weight (in Kg)			
				Opening Balance	Generation	Treatment / Disposal	Closing Balance
Process & DEP Salts	28.1	Organic & Inorganic salts	Kg	0.00	112.00	112.00	0.00
Incineration Ash	37.2	Oxidized salts	Kg	12.95	1.05	14.0	0.00
Used Oil/Spent Oil	5.1	Oil	Ltr	36	0	36	0

4. Description of Storage of Hazardous Waste

Cat. No.	Method of Storage of Hazardous Waste	Cat. No.	Method of Treatment of Hazardous Waste
28.1	Covered HDPE Tank in restricted area.	28.1	Incineration
37.2	Covered HDPE Tank in restricted area.	37.2	Send to TSDF
5.1	HDPE Drums	5.1	Send to approved recycler

5. Details of Transportation of Hazardous waste

S. No.	Name and Address of Consignee of package	Mode of Packing of waste for Transportation	Mode of transportation to site of disposal	Date of Transportation
1	BN Concast Barwala	Packed in HDPE Drums Qty - 36.0 Litres	Special Vehicle	14-03-2026
2	GEPIL Faridabad Haryana	Packed in HDPE Bags/Drum Qty - 14.0 Kg	Special Vehicle	26-03-2026

6. Details of disposal of Hazardous Waste

Date of Disposal	Conc. Of Hazardous Material in final waste form	Site of disposal (Identify the location on relevant layout Drawing for reference)	Method of disposal	Person involves in Disposal
	N/A	N/A	N/A	N/A

7. Data of Environment Surveillance

Date of Mesurment	Analysis of Ground Water		Analysis of Soil sample		Analysis of Air Sampling		Analysis of any other Sample
	Location of sampling	Depth of sampling	Location of sampling	Depth of sampling	Data	Location of sampling	Data
					Six Monthly	Scrubber & Stack	Six Monthly treated Water

Name and Signature of Head of Facility

For Sisilax Pharma (P) Limited
Plot No. - 236 & 237; Phase - II
Industrial Area; Panchkula (HR)



HARYANA STATE POLLUTION CONTROL BOARD
SCO 116, Ist & IInd Floor, Sector 25, Panchkula Ph. 0172-2566286 & multi-
hspcbropk@gmail.com

(Hazardous Waste Manifest)

Form 10

[See rule 19(1)]

Manifest No:
141734351

Copy 1

WHITE

By Sender To HSPCB

HQ: Haryana State Pollution Control Board,
C-11, Sector-6, Panchkula 134109,
Ph-0172-2577870-73,
Email: Hspcb@hspcb.org.in

1	Sender's Name, Mailing Address, Phone no & Email Address:	SISLAX PHARMA PVT LTD 237, INDUSTRIAL AREA, PHASE-II, PANCHKULA 9814132480 sislax.pharma@gmail.com
2	Authorization Application No.:	5685044
3	Authorization Letter No and Date:	HWM/PAN/2023/5685044, 2023-07-04
4	Authorization validity:	From: 2023-10-01 To: 2026-09-30
5	Transporter's Name, Address & Phone no:	Gujarat enviro Protection and infrastructure (Haryana) Pvt. Ltd. Village Pali near Pali Mohabatabad Stone Crusher Zone, Faridabad 8448766137
6	Transport's Registration No:	HR-55-AV-3730
7	Vehicle No. & Type:	3730 Pick-Up
8	Receiver's Name, Mailing Address, Phone no & email address:	M/s Gujarat Enviro Protection and infrastructure (Haryana) Pvt. Ltd. Village Pali, near Pali- Mohabatabad Stone crusher Zone, Faridabad, Haryana 7290099681 haryana@tutraindia.com
9	Receiver's Authorization No. with PCB:	HWM/FDSD/2021/13751951, 07-08-2021
10	Total Quantity:	0.014 MT
11	Physical Form:	Solid,
12	Number of Containers:	1
		Container 1 0.014 MT
13	Name of Schedule:	Schedule I
	Name of Process/Sub Class/Basel no:	Hazardous waste treatment processes, e.g. pre-processing, incineration and concentration
	Name of Process Waste (Category No):	Ash from incinerator and flue gas cleaning residue
	Detail/Reason of Subclass/Basel no:	
	Quantity:	0.014 MT
	Waste Type:	Pre-Processing
	Waste Storage:	Plastic Drums
	Waste Description:	INCINERATION ASH
14	Sender's Certificate: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labeled, and are in all respects in proper condition for transport by road according to applicable national government regulations. Name & Stamp of Industry : SISLAX PHARMA PVT LTD Date: 26-Mar-26 Signature: <i>[Signature]</i> Authorised Signatory	
15	Transporter Acknowledgement of Receipts of Wastes: Stamp of: Gujarat enviro Protection and infrastructure (Haryana) Pvt. Ltd. Date: 26-Mar-26 Signature: <i>[Signature]</i>	
16	Special handling instructions and additional information	
17	Receiver's Certification for receipt of Hazardous and other waste: Stamp of: M/s Gujarat Enviro Protection and infrastructure (Haryana) Pvt. Ltd Village Pali, near Pali- Mohabatabad Stone crusher Zone, Faridabad Date: <i>[Signature]</i> Signature: <i>[Signature]</i>	

** This is System Generated Manifest for HAZARDOUS AND OTHER WASTE by HROCMMS Haryana **
Created By OCMMS ID:- 14PAN1507024 | Created Date:- 26-Mar-26 | SISLAX PHARMA PVT LTD, 237, INDUSTRIAL
AREA, PHASE-II, PANCHKULA




FORM 10

[See rule 19 (1)]

3572

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1.	Sender's name and mailing address (including Phone No. and email)	M/s SISLAX PHARMA PVT. LTD., Plot No. 237, Industrial Area, Phase 2, Panchkula, Haryana.
2.	Sender's authorisation No.	
3.	Manifest Document No.	
4.	Transporter's name & Address	B. N. CONCAST PVT LTD PLOT No 18, HSIIDC ALIPUR, BARWALA PANCHKULA E-mail - bnconcast@gmail.com MB - 98034-50822
5.	Type of vehicle	(Truck/Tanker/Special Vehicle)
6.	Transporter's registration No.	B. N. CONCAST PVT LTD
7.	Vehicle registration No.	HR 68 B 4172
8.	Receiver's name & Address with contact	B. N. CONCAST PVT LTD PLOT No 18, HSIIDC ALIPUR, BARWALA PANCHKULA E-mail - bnconcast@gmail.com MB - 98034-50822
9.	Receiver's Authorisation No.	HWMPAN/2025/113812482 VALID TILL 30.09.2030
10.	Waste description	Used Oil (HW cat 5,1)
11.	Total quantity & No. of Containers	36 Liters
12.	Physical form	Oily
13.	Special handling instructions and additional information	Handle With Care
14.	Sender's Certificate  Signature & stamp	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
15.	Transporter acknowledgement of receipt of Wastes Name and stamp  Authorized Signatory	DD MM YYYY 14 03 2026
16.	Receiver's certification for receipt of hazardous and other waste  Authorized Signatory	DD MM YYYY 14 03 2026





Gujarat Enviro-Protection And Infrastructure (Haryana)
Pvt Limited



Pali Stone,Crusher Zone,Pali,Faridabad, 121001

WEIGHMENT SLIP (INWARD)

410000534 SISLAX PHARMA PVT LTD

PLANNED VEHICLE: HR-55-AV-3730 ACTUAL VEHICLE: HR-55-AV-3730 TICKET DATE: 26.03.2026

SITE IN DATE 26.03.2026 TIME: 22:35:00 SITE OUT DATE 26.03.2026 TIME: 23:28:10

MANIFEST NO: 1407098698 DATE: 25.03.2026 DRIVER STATUS(Y/N)

GROSS WEIGHT : 2.560

TARE WEIGHT : 2.540

NET WEIGHT : 0.020

NAME & SIGNATURE OF OPERATOR

Print Date : 28/03/2026-13:30

Printed By : E170200(Jitender Gupta)



Gujarat Enviro-Protection And Infrastructure (Haryana)
Pvt Limited



Pali Stone,Crusher Zone,Pali,Faridabad, 121001

WEIGHMENT SLIP (INWARD)

410000534 SISLAX PHARMA PVT LTD

PLANNED VEHICLE: HR-55-AV-3730 ACTUAL VEHICLE: HR-55-AV-3730 TICKET DATE: 26.03.2026

SITE IN DATE 26.03.2026 TIME: 22:35:00 SITE OUT DATE 26.03.2026 TIME: 23:28:10

MANIFEST NO: 1407098698 DATE: 25.03.2026 DRIVER STATUS(Y/N)

GROSS WEIGHT : 2.560

TARE WEIGHT : 2.540

NET WEIGHT : 0.020


NAME & SIGNATURE OF OPERATOR

Print Date : 28/03/2026-13:30

Printed By : E170200(Jitender Gupta)

This is system generated reprot,does not require signature and stamp

Transport Movement Order
Gujarat Enviro-Protection And Infrastructure (Haryana)
Pvt Limited



TMO NO. 1407098698

DATE: 18.03.2026



Copy 1 : Sender Copy

Sender's Details

Name: SISLAX PHARMA PVT LTD
Address: PLOT NO. 237, INDUSTRIAL AREA,,PHASE- II,,,,PANCHKULA,Haryana
Mobile No: 9814132480
Email Id: satishbamba@yahoo.co.in
Sender's Authorization No: HWM/PAN/2023/5685044

Waste Details

Waste Description : INCINERATION ASH-37.2-LF00LF
Physical Status : SOLID
Request QTY : 0.100 (IN MT)
Reported Qty : Actual Qty:
Packing Type
Nos.
Bags
Drums
Loose

Receiver's Details

Name: Gujarat Enviro-Protection And Infrastructure (Haryana) Pvt Limited
Address: Pali Stone,Crusher Zone,Mohabatabad,Faridabad-121001
Mobile No: Receiver Registration No: HSPCB/CONSENT/:32022091
Email Id: Lat-Long:

Transporter Details

Name: Gujarat Enviro-Protection And Infrastructure (Haryana) Pvt Limited
Address: Pali Stone,Crusher Zone,Mohabatabad,Faridabad-121001
Mobile No:
Date Of Departure: 25.03.2026

Vehicle Details

Type Of Vehicle: TRUCK
Vehicle Number: HR-55-AV-3730
Vehicle Capacity: 1.000
Driver Name:
Driver Mobile No:
Driving Licence:
Insu Exp. Date: 28.12.2026
PUC Exp. Date: 06.01.2027

Waste Transporter Details

Perticulars	DATE	TIME	TMR
Site Out:	26/03/24	05:28	60255
Client Entry:	26-3-24	12-26	
Client Exit:			
Site Inw:	26/03/24	22:35	60937

FOR SISLAX PHARMA PVT. LIMITED

Authorized Signatory
Signature With Designation
& Rubber Stamp

Pali Stone,Crusher Zone,Mohabatabad,Faridabad-121001

Note: Use Personal Protective Equipments While Handling Waste #StaySafe #StayProtected



Ammonia - VI



TEST REPORT

Party Code : S/HR/17654
*Issued to : Sislex Pharma Pvt. Ltd.

REPORT NO. : SN0408001726

*Customer Ref.No. : NS

Plot No. 236-237, Industrial Area, Phase-II, Panchkula,
Haryana-134113 . .

*Reference Date : NS
Date of Sampling : 03/04/2026
Date of Received : 08/04/2026
Date of Issue : 10/04/2026
Start Date of Analysis : 08/04/2026
Date of Completion : 10/04/2026
Environmental Condition : 25±2°C, RH50±15%
Sample Condition : OK
*Sample Qty. : NS

*Sample Name : Stack Emission

SOP/Sampling Plan : SIMA/ENV/SOP/011

Test Method Deviation : NA

Sample Collection : Sample Collected By Us

RESULTS OF ANALYSIS

Reference : IS 11255 & EPA

Sample Description	: One stack emission sample was collected by us on 03/04/2026 between 12:00 PM to 12:30 PM
Name of Industry	: Sislex Pharma Pvt. Ltd.
Name of plant & Section	: Boiler section
Emission Source Monitored	: Boiler stack
Type of Fuel Used	: Wood chips
Stack Identification	: Boiler stack (1.5 Ton/Hr.)
Normal Operating Schedule (Hrs/day)	: 24
Location of sampling Point	: As per norms
Type of Chimney (ACC/Metal)	: Metal
Stack Height (Meters)	
a. From source of Emission	: -
b. From Roof Level	: -
c. From Ground Level	: 25
Diameter of stack (cm)	: 150
Sampling Duration (minutes)	: 30
Parameters Monitored	: PM, NOx, SO2 & CO
Purpose of Monitoring	: Assessment of pollution load
Products Manufactured	: Medicine
Control measures (if any)	: Wet scrubber & Multicyclone
Recovery of Material (if any)	: Nil
General Sensory observations	: Normal
Fugitive Emissions (if any)	: Nil
Stack Temperature (°C)	: 181
Ambient Temperature(°C)	: 32
Average Stack Velocity (m/second)	: 7.62
Quantity of Emission (Nm ³ /Hr)	: 28964

For Synthimed Labs Private Limited
Authorised Signatory
(Atul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

Neeraj Singh Adhikari

Reviewed By

Authorized Signatory

Diwakar Jha

G.M Technical Environment

- Remarks:
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA stands for : Sophisticated Industrial Materials Analytic

Page : 1 of 2

VS

* Indicates details provided by the customer



SIMA LABS

Sophisticated Industrial Materials
Analytic Labs Pvt. Ltd.

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com



TEST REPORT

Party Code : S/HR/17654

REPORT NO. : SN0408001726

S.No.	Parameters	Units	Results	Limits (Max.)	Protocols	Detection Limit
1.	Particulate Matter	mg/Nm3	222 (at 6% O2 Corr.)	500.0	IS:11255 (P-1)	NA
2.	Nitrogen Oxides (as NOx)	mg/Nm3	41.3 (at 6% O2 Corr.)	NA	IS:11255 (P-7)	NA
3.	Sulphur Dioxide (as SO2)	mg/Nm3	BDL	NA	IS:11255 (P-2)	3.0
4.	Carbon Monoxide (as CO)	mg/Nm3	25.7	NA	SIMA/ENV/STP/001 , Issue No.1 , Issue date 10.01.2022	NA

NA-Not Applicable, BDL- Below Detection Limit

The above mentioned parameters meets the specification of EP Act Standard.

--- End of Test Report ---



For Synthimed Labs Private Limited
Authorized Signatory
(Atul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

Neeraj Singh Adhikari

Reviewed By

Authorized Signatory

Diwakar Jha

G.M Technical Environment

- Remarks:**
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year. Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 2 of 2

VS

* Indicates details provided by the customer



SIMA LABS

Sophisticated Industrial Materials
Analytic Labs Pvt. Ltd.

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,
Ph-II, New Delhi - 110064
Phone : +(91)-(011) 43854300
Email : reports@simalab.com
CIN No : U74899DL1988PTC031785
Website : www.simalab.net | www.simalab.com

Annexure-VII



TEST REPORT

Party Code : S/HR/17654
*Issued to : Sislex Pharma Pvt. Ltd.

Plot No. 236-237, Industrial Area, Phase-II, Panchkula,
Haryana-134113 . .

*Sample Name : Noise Monitoring (Work Zone)

REPORT NO. : SN0408001826
*Customer Ref.No. : NS
*Reference Date : NS
Date of Sampling : 03/04/2026
Date of Received : 08/04/2026
Date of Issue : 10/04/2026
Start Date of Analysis : 08/04/2026
Date of Completion : 10/04/2026
Environmental Condition : 25±2°C, RH50±15%
Sample Condition : OK
*Sample Qty. : NS
SOP/Sampling Plan : SIMA/ENV/SOP/025
Test Method Deviation : NA
Sample Collection : Sample Collected By Us

RESULTS OF ANALYSIS

Reference : As Per Factory Act.-1946/IS:9989

Sample Description: Work Zone Noise level from different points of M/S Sislex Pharma Pvt. Ltd. was monitored by us on 03/04/2026

S.No.	Location of Sampling Point	Exposure Time	Avg. Instant Value dB(A)	Permissible Limit dB(A) (Max.)
1.	Manufacturing Area	11:30 to 11:40 AM	74.6	90.0 (on 8 Hourly Basis)
2.	Boiler Area	"	77.4	"

The above mentioned noise level meets the specification of Factory Act Standard.

--- End of Test Report ---

For Synthimed Labs Private Limited

Authorized Signatory
(Atul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

Neeraj Singh Adhikari
Reviewed By


Authorized Signatory
Diwakar Jha
G.M Technical Environment

- Remarks:
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year. Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and/or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 1 of 1

VS

* Indicates details provided by the customer

**SIMA LABS****Sophisticated Industrial Materials
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Ph-II, New Delhi - 110064
Phone : +(91)-(011) 43854300
Email : reports@simalab.com
CIN No : U74899DL1988PTC031765
Website : www.simalab.net | www.simalab.com

**TEST REPORT**

Party Code : S/HR/17654
*Issued to : Sislex Pharma Pvt. Ltd.

Plot No. 236-237, Industrial Area, Phase-II, Panchkula,
Haryana-134113 . .

*Sample Name : Noise Monitoring (D.G.)

REPORT NO. : SN0404000726
*Customer Ref.No. : NS
*Reference Date : NS
Date of Sampling : 03/04/2026
Date of Received : 04/04/2026
Date of Issue : 06/04/2026
Start Date of Analysis : 04/04/2026
Date of Completion : 06/04/2026
Environmental Condition : 25±2°C, RH50±15%
Sample Condition : OK
*Sample Qty. : NS
SOP/Sampling Plan : SIMA/ENV/SOP/025
Test Method Deviation : NA
Sample Collection : Sample Collected By Us

RESULTS OF ANALYSIS

Reference : EP Act Standard/IS:4758

Sample Description: D.G. Noise level from different points of M/S Sislex Pharma Pvt. Ltd. was monitored by us on 03/04/2026


S.No.	Location of Sampling Point	Exposure Time	Avg. Instant Value dB(A)	Permissible Limit dB(A) (Max.)
1.	When D.G. Set (160 KVA) ON:-			
2.	Noise level while canopy door open	11:20 AM to 11:30 AM	98.9	-
3.	Noise level while canopy door closed & at a distance of 1.0 meter	"	68.3	-
4.	Insertion Loss	"	30.6	Minimum loss of Insertion 25.0
5.	When D.G is Off:-	"	65.3	-

The above mentioned noise level meets the specification of EP Act Standard.

--- End of Test Report ---


Neeraj Singh Adhikari
Reviewed By

For Synthimed Labs Private Limited
Authorized Signatory
(Atul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

Authorized Signatory

Diwakar Jha
G.M Technical Environment

- Remarks:
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA Stands for: Sophisticated Industrial Materials Analytic

Page: 1 of 1

VS

* Indicates details provided by the customer

**SIMA LABS****Sophisticated Industrial Materials
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : Plot, Mayapuri Industrial Area,
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**Party Code : S/HR/17654
*Issued to : Sistex Pharma Pvt. Ltd.Plot No. 236-237, Industrial Area, Phase-II, Panchkula,
Haryana-134113 . .

*Sample Name : Noise Monitoring (D.G.)

REPORT NO. : SN0404000626

*Customer Ref.No. : NS

*Reference Date : NS

Date of Sampling : 03/04/2026

Date of Received : 04/04/2026

Date of Issue : 25/04/2026

Start Date of Analysis : 04/04/2026

Date of Completion : 25/04/2026

Environmental Condition : 25±2°C, RH50±15%

Sample Condition : OK

*Sample Qty. : NS

SOP/Sampling Plan : SIMA/ENV/SOP/025

Test Method Deviation : NA

Sample Collection : Sample Collected By Us

RESULTS OF ANALYSIS

Reference : EP Act Standard/IS:4758

Sample Description: D.G. Noise level from different points of M/S Sistex Pharma Pvt. Ltd. was monitored by us on 03/04/2026

S.No.	Location of Sampling Point	Exposure Time	Avg. Instant Value dB(A)	Permissible Limit dB(A) (Max.)
1.	When D.G. Set (125 KVA) ON:-			
2.	Noise level while canopy door open	11:00 AM to 11:10 AM	98.6	Minimum loss of Insertion 25.0
3.	Noise level while canopy door closed & at a distance of 1.0 meter	"	69.2	"
4.	Insertion Loss	"	29.4	"
5.	When D.G. is Off:-	"	65.3	"

The above mentioned noise level meets the specification of EP Act Standard.

--- End of Test Report ---

Roshan Soni

Reviewed By

For Synthimed Labs Private Limited**Authorised Signatory**
(Anil Kumar Chaubey)**VP-ESG, Admin. & Corporate Affairs**

Authorized Signatory

Diwakar Jha

G.M Technical Environment

Remarks: 1. This Test Report is not valid without a hologram.

2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.

3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.

4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.

5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.

6. The sample(s) of Drugs & Cosmetics will be destroyed after one year. Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.

7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.

8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.

9. Re-testing charges will be applicable in case the results are reproducible.

10. Duplicable copy will be issued on chargeable basis.

11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 1 of 1

VS

* Indicates details provided by the customer

**SIMA LABS****Sophisticated Industrial Materials
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

Annexure-VII

**TEST REPORT**Party Code : S/HR/17654
*Issued to : Sislex Pharma Pvt. Ltd.Plot No. 236-237, Industrial Area, Phase-II,
Panchkula, Haryana-134113 . .

*Sample Name : Ambient Air

REPORT NO. : SN0408001626
*Customer Ref.No. : NS
*Reference Date : NS
Date of Sampling : 03/04/2026 To 04/04/2026
Date of Received : 08/04/2026
Date of Issue : 10/04/2026
Start Date of Analysis : 08/04/2026
Date of Completion : 10/04/2026
Environmental Condition : 25±2°C, RH50±15%
Sample Condition : OK
*Sample Qty. : NS
SOP/Sampling Plan : SIMA/ENV/SOP/012
Test Method Deviation : NA
Sample Collection : Sample Collected By Us**RESULTS OF ANALYSIS**

Reference : As Per EP Act-1986

Sample Description : One Ambient Air sample was collected by us from 03/04/2026 to 04/04/2026

Name of Industry : Sislex Pharma Pvt. Ltd.
Location of the Sampling Point : Near main gate
Date of Sampling : 03/04/2026 To 04/04/2026
Sampling started at : 10:00 AM (Dt. 03/04/2026)
Sampling completed at : 10:00 AM (Dt. 04/04/2026)
Actual time of sampling : 1440 minutes
Flow rate of sampling : 1.22 m³/minute
Total volume of air sampled : 1775 m³ (For PM 10) & 24.02 m³ (For PM 2.5)
Ambient temperature (°C) : 32

S.No.	Parameters	Units	Results	Limit (Max)	Protocols	Detection Limit
1.	Particulate Matter (as PM -10)	µg/m ³	91.4	100	IS:5182 (P-23)	NA
2.	Particulate Matter (as PM - 2.5)	µg/m ³	50.3	60	IS:5182 (P-24)	NA
3.	Nitrogen Dioxides (as NO ₂)	µg/m ³	29.4	80	IS:5182 (P-6)	NA
4.	Sulphur Dioxide (as SO ₂)	µg/m ³	23.7	80	IS:5182 (P-2)	NA

Neeraj Singh Adhikari
Reviewed By

Authorized Signatory

Diwakar Jha
G.M Technical Environment

Remarks: 1. This Test Report is not valid without a hologram.

2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.

3. Liability of laboratory is limited to the invoiced amount only. Any dispute shall be subject to Delhi jurisdiction only.

4. This Test Report is not to be reproduced wholly or in part as evidence in any court of law without written permission from SIMA Labs Pvt. Ltd.

5. The Test Report should not be used wholly or in part in any advertisement without written permission from SIMA Labs Pvt. Ltd.

6. The sample(s) of Drugs & Cosmetics will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.

7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and/or partially presented test reports.

8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.

9. Re-testing charges will be applicable in case the results are reproducible.

10. Duplicable copy will be issued on chargeable basis.

11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 1 of 2

VS

* Indicates details provided by the customer



TEST REPORT

Party Code : S/HR/17654

REPORT NO. : SN0408001626

S.No.	Parameters	Units	Results	Limit (Max)	Protocols	Detection Limit
5.	Carbon Monoxide (as CO) (8 hours)	mg/m ³	1.026	2.0	IS:5182 (P-10) Method-C	NA
6.	Benzene (as C ₆ H ₆)	µg/m ³	BDL	5.0	IS:5182 (P-11)	0.5
7.	Ammonia (as NH ₃)	µg/m ³	BDL	400	IS:5182 (P-25)	20
8.	Ozone (as O ₃) (8 hours)	µg/m ³	23.7	100	IS:5182 (P-9)	NA
9.	Lead (as Pb)	µg/m ³	BDL	1.0	SIMA/ENV/STP/003 , Issue No.1 , Issue date 16.03.2024	0.03
10.	Arsenic (as As)	ng/m ³	BDL	6	SIMA/ENV/STP/003 , Issue No.1 , Issue date 16.03.2024	1.5
11.	Nickel (as Ni)	ng/m ³	BDL	20	SIMA/ENV/STP/003 , Issue No.1 , Issue date 16.03.2024	1.5
12.	Benzo (a) Pyrene (Bap)	ng/m ³	BDL	1.0	IS:5182 (P-12)	0.05


The above mentioned parameters meets the specification of EP Act Standard.

NA- Not Applicable, BDL- Below Detection Limit

--- End of Test Report ---




Neeraj Singh Adhikari
Reviewed By


For Sophisticated Labs Private Limited
Authorised Signatory
(Anil Kumar Chaubey)
VP-LSG, Admin. & Corporate Affairs

Authorized Signatory

Diwakar Jha
G.M Technical Environment

- Remarks:
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 2 of 2

VS

* Indicates details provided by the customer

**SIMA LABS****Sophisticated Industrial Materials
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

Annexure-IX

**TEST REPORT**Party Code : S/HR/17654
*Issued to : Sislex Pharma Pvt. Ltd.Plot No. 236-237, Industrial Area, Phase-II,
Panchkula, Haryana-134113

REPORT NO. : SN0408001926

*Customer Ref.No. : NS

*Reference Date : NS

Date of Sampling : 03/04/2026

Date of Received : 08/04/2026

Date of Issue : 16/04/2026

Start Date of Analysis : 08/04/2026

Date of Completion : 16/04/2026

Environmental Condition : 25±2°C, RH50±15%

Sample Condition : OK

*Sample Qty. : 1 Ltr.

SOP/Sampling Plan : SIMA/ENV/SOP/024

Test Method Deviation : NA

Sample Collection : Sample Collected By Us

*Sample Name : Effluent Water (ETP-Inlet)

RESULTS OF ANALYSIS

Reference : EP Act Standards

Sample Description : One Effluent water sample from Inlet of ETP was collected by us on 03/04/2026

S.No.	Test Parameters	Units	Results	Method	Detection Limit
Chemical Parameter					
1.	pH	NA	7.09	IS:3025 (P-11)	NA
2.	Total Suspended Solids	mg/L	664	IS:3025 (P-17)	NA
3.	Total Dissolved Solids	mg/L	972	IS:3025 (P-16)	NA
4.	Chemical Oxygen Demand	mg/L	524	IS:3025 (P-58)	NA
5.	Biochemical Oxygen Demand (3 days at 27°C)	mg/L	250	IS:3025 (P-44)	NA
6.	Oil & Grease	mg/L	3.6	IS:3025 (P-39)	NA
7.	Dissolved Phosphate (as PO ₄)	mg/L	5.8	IS:3025 (P-31)	NA
8.	Sulphate (as SO ₄)	mg/L	261	IS:3025 (P-24)	NA
9.	Hexavalent Chromium (as Cr+6)	mg/L	BDL	IS:3025 (P-52)	0.01
10.	Odour	NA	Foul	IS:3025 (P-5)	NA
11.	Appearance	NA	Brownish	NA	NA
12.	Electrical Conductivity (as 25°C)	µS/cm	1495	IS:3025 (P-14)	NA

Anshul Gupta
Reviewed By

Authorized Signatory

Neeraj Singh Adhikari
Dy. Manager-Environment

- Remarks:
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year. Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 1 of 2

VS

* Indicates details provided by the customer

**SIMA LABS****Sophisticated Industrial Materials
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

**TEST REPORT**

Party Code : S/HR/17654

REPORT NO. : SN0408001926

S.No.	Test Parameters	Units	Results	Method	Detection Limit
13.	Copper (as Cu)	mg/L	33.669	IS:3025 (P-2)	NA
Toxic Substance					
14.	Lead (as Pb)	mg/L	0.024	IS:3025 (P-2)	NA
15.	Total Chromium (as Cr)	mg/L	BLQ	IS:3025 (P-2)	LOQ (0.02)

NA- Not Applicable, BDL- Below Detection Limit, BLQ- Below Limit of Quantification, LOQ- Limit of Quantification

Note :- Customer asked for the above tests only.

--- End of Test Report ---



Anshul Gupta

Reviewed By

For Synthimed Labs Private Limited
Authorized Signatory
(Atul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

Authorized Signatory

Neeraj Singh Adhikari

Dy. Manager-Environment

- Remarks:**
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year. Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 2 of 2

VS

* Indicates details provided by the customer



TEST REPORT

Party Code : S/HR/17654
*Issued to : Sislex Pharma Pvt. Ltd.

Plot No. 236-237, Industrial Area, Phase-II,
Panchkula, Haryana-134113 . .

*Sample Name : Effluent Water (ETP-Outlet)

REPORT NO. : SN0408002026
*Customer Ref.No. : NS
*Reference Date : NS
Date of Sampling : 03/04/2026
Date of Received : 06/04/2026
Date of Issue : 16/04/2026
Start Date of Analysis : 08/04/2026
Date of Completion : 16/04/2026
Environmental Condition : 25±2°C, RH50±15%
Sample Condition : OK
*Sample Qty. : 1 Ltr.
SOP/Sampling Plan : SIMA/ENV/SOP/024
Test Method Deviation : NA
Sample Collection : Sample Collected By Us

RESULTS OF ANALYSIS

Reference : EP Act Standards

Sample Description : One Effluent water sample from outlet of ETP was collected by us on 03/04/2026

S.No.	Test Parameters	Units	Results	Limits	Method	Detection Limit
Chemical Parameter						
1.	pH	NA	7.15	5.5 to 9.0	IS:3025 (P-11)	NA
2.	Total Suspended Solids	mg/L	15	100 Max.	IS:3025 (P-17)	NA
3.	Total Dissolved Solids	mg/L	1050	NA	IS:3025 (P-16)	NA
4.	Chemical Oxygen Demand	mg/L	157	250 Max.	IS:3025 (P-58)	NA
5.	Biochemical Oxygen Demand (3 days at 27°C)	mg/L	20	30 Max.	IS:3025 (P-44)	NA
6.	Oil & Grease	mg/L	<3	10 Max.	IS:3025 (P-39)	NA
7.	Dissolved Phosphate (as PO ₄)	mg/L	2.8	5.0 Max.	IS:3025 (P-31)	NA
8.	Sulphate (as SO ₄)	mg/L	238.8	NA	IS:3025 (P-24)	NA
9.	Hexavalent Chromium (as Cr+6)	mg/L	BDL	0.1 Max.	IS:3025 (P-52)	0.01
10.	Odour	NA	Odourless	NA	IS:3025 (P-5)	NA
11.	Appearance	NA	Colourless	NA	NA	NA
12.	Electrical Conductivity (as 25°C)	µS/cm	1615	NA	IS:3025 (P-14)	NA

(A) 419

Anshul Gupta
Reviewed By

For Synthimed Labs Private Limited
Authorized Signatory
Neeraj Singh Adhikari
ESG Admin. & Corporate Affairs

Authorized Signatory

(Signature)

Neeraj Singh Adhikari
Dy. Manager-Environment

- Remarks: 1. This Test Report is not valid without a hologram.
2. The Results listed refer only to the above tested sample & applicable parameters. No comment of products is neither inferred nor implied.
3. Liability of laboratory is limited to the invoiced amount only. Any dispute shall be subject to Delhi jurisdiction only.
4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
9. Re-testing charges will be applicable in case the results are reproducible.
10. Duplicable copy will be issued on chargeable basis.
11. SIMA Stands for : Sophisticated Industrial Materials Analytic

*Indicates details provided by the customer



SIMA LABS

Sophisticated Industrial Materials
Analytic Labs Pvt. Ltd.

(GOVT. APPROVED TESTING LABORATORIES)


Address : A-3/7, Mayapuri Industrial Area,
Ph-II, New Delhi - 110064

Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com



TEST REPORT

Party Code : S/HR/17654

REPORT NO. : SN0408002026

S.No.	Test Parameters	Units	Results	Limits	Method	Detection Limit
13.	Copper (as Cu)	mg/L	BLQ	3.0 Max.	IS:3025 (P-2)	LOQ (0.02)
Toxic Substance						
14.	Lead (as Pb)	mg/L	BLQ	0.1 Max.	IS:3025 (P-2)	LOQ (0.02)
15.	Total Chromium (as Cr)	mg/L	BLQ	2.0 Max.	IS:3025 (P-2)	LOQ (0.02)

NA- Not Applicable, BDL- Below Detection Limit, BLQ- Below Limit of Quantification, LOQ- Limit of Quantification

Note :- Customer asked for the above tests only. The above tested parameters meets the requirement of EP Act Standard.

--- End of Test Report ---






Anshul Gupta

Reviewed By

For Synthimed Labs Private Limited


Authorized Signatory
(Anil Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

Authorized Signatory



Neeraj Singh Adhikari

Dy. Manager-Environment

- Remarks:**
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year. Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA Stands for : Sophisticated Industrial Materials Analytic

*Indicates details provided by the customer

**SIMA LABS****Sophisticated Industrial Materials
Analytic Labs Pvt. Ltd.**

(GOVT. APPROVED TESTING LABORATORIES)

Address : A-3/7, Mayapuri Industrial Area,
Ph-II, New Delhi - 110064


Phone : +(91)-(011) 43854300

Email : reports@simalab.com

CIN No : U74899DL1988PTC031785

Website : www.simalab.net | www.simalab.com

Annexure-X

**TEST REPORT**Party Code : S/HR/17654
*Issued to : Sislex Pharma Pvt. Ltd.Plot No. 236-237, Industrial Area, Phase-II,
Panchkula, Haryana-134113

*Sample Name : Incinerator Ash

REPORT NO. : SN0408002126

*Customer Ref.No. : NS

*Reference Date : NS

Date of Sampling : 03/04/2026

Date of Received : 06/04/2026

Date of Issue : 20/04/2026

Start Date of Analysis : 08/04/2026

Date of Completion : 20/04/2026

Environmental Condition : 25±2°C, RH50±15%

Sample Condition : OK

*Sample Qty. : 250 Gm

SOP/Sampling Plan : NS

Test Method Deviation : NA

Sample Collection : Sample Collected By Us

RESULTS OF ANALYSIS

Reference : Party Requirement

Sample Description : One Incinerator Ash sample was collected by us on 03/04/2026

S.No.	Parameters	Units	Results	Protocol	Detection Limit
1.	Physical State	NA	Powder	NA	NA
2.	Texture	NA	White Powder	IS:2720 (P-4)	NA
3.	Colour	NA	White	Visual	NA
4.	Odour	NA	Odourless	IS:3025 (P-5)	NA
5.	Flammable/Combustible	NA	Not Flammable	NA	NA
6.	Water Reactive	NA	No reaction with water	NA	NA
7.	Loss on drying (at 105°C)	%	5.2	By Gravimetric	NA
8.	Nitrate Nitrogen (as NO ₃ -N)	mg/kg	2.8	APHA 4500 (P-B)	NA
9.	Loss of Ignition	%	1.2	By Gravimetric	NA
10.	Copper	mg/kg	4.638	APHA 3120 B	NA
11.	Lead	mg/kg	BLQ	APHA 3120 B	LOQ (1.25)
12.	Zinc	mg/kg	36.29	APHA 3120 B	NA
13.	Cadmium	mg/kg	BLQ	APHA 3120 B	LOQ (1.0)

Anshul Gupta

Reviewed By

For Synthimed Labs Private Limited
Authorized Signatory
Raj Kumar Chaubey
Admin. & Corporate Affairs

Authorized Signatory

Diwakar Jha

G.M Technical Environment

- Remarks:
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising from this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and/or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA Stands for: Sophisticated Industrial Materials Analytic

Page : 1 of 2

VS

* Indicates details provided by the customer



TEST REPORT

Party Code : S/HR/17654

REPORT NO. : SN0408002126

S.No.	Parameters	Units	Results	Protocol	Detection Limit
14.	Mercury	mg/kg	BLQ	APHA 3120 B	LOQ (1.0)
15.	Chloride (as Cl)	mg/kg	28.6	APHA 4500 (P-B)	NA
16.	Sulphide (as S)	mg/kg	BDL	APHA 4500 (P-F)	1.0
17.	pH	NA	6.82	IS:2720 (P-26)	NA
18.	Chromium	mg/kg	BLQ	APHA 3120 B	LOQ (1.25)
19.	Gross Calorific Value	Cal/gm	210	IS:1350 (P-2)	NA
20.	Ash Content	%	918	By Gravimetric	NA
21.	Nickel	mg/kg	BLQ	APHA -3120 B	LOQ (1.25)
22.	Fluoride	mg/kg	BDL	APHA -4500 (P-D)	0.05

NA- Not Applicable, BDL- Below Detection Limit, BLQ- Below Limit of Quantification, LOQ- Limit of Quantification

Note :- Customer asked for the above tests only.

--- End of Test Report ---





Anshul Gupta
Reviewed By

For Synthind Labs Private Limited
Authorized Signatory
(Arul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

Authorized Signatory



Diwaker Jha

G.M Technical Environment

- Remarks:
1. This Test Report is not valid without a hologram.
 2. The Results listed refer only to the above tested sample & applicable parameters. Endorsement of products is neither inferred nor implied.
 3. Liability of laboratory is limited to the invoiced amount only. Any dispute arising out of this report shall be subject to Delhi jurisdiction only.
 4. This Test Report is not to be reproduced wholly or in part as evidence in the Court of law without written permission from SIMA Labs Pvt. Ltd.
 5. The Test Report should not be used wholly or in part in any advertising media without written permission from SIMA Labs Pvt. Ltd.
 6. The sample(s) of Drugs & Cosmetics will be destroyed after one year, Perishable samples (Other than Drugs & Cosmetics) will be destroyed after 7 days and non perishable samples will be destroyed after 30 days of the date of issue of Test Report or unless otherwise specified.
 7. SIMA Labs Pvt. Ltd. will not be held responsible for the authenticity of any photocopied, forged and or partially presented test reports.
 8. SIMA Labs Pvt. Ltd. will ensure all corrective action as per our policy in case of any discrepancy in any sample tested by SIMA Labs Pvt. Ltd.
 9. Re-testing charges will be applicable in case the results are reproducible.
 10. Duplicable copy will be issued on chargeable basis.
 11. SIMA Stands for : Sophisticated Industrial Materials Analytic

Page : 2 of 2

VS

* Indicates details provided by the customer



Ammanu - XI
Azadi
Amul Mahotsav

UNITED INDIA INSURANCE COMPANY LIMITED

SCO NO. 855, 1ST FLOOR NAC, MANIMAJRA CHANDIGARH, CHANDIGARH, CHANDIGARH
CHANDIGARH - 160101 CHANDIGARH U.T.
PHONE: (0172) 2730012 FAX: EMAIL:

PUBLIC LIABILITY ACT POLICY
Policy No.:1102072725P120077265
UIN. CommercialXXXXXXXX

PERIOD OF INSURANCE
From 00:00 hrs of 31/03/2026
To midnight of 30/03/2027

Insured

M/s SISLAX PHARMA P.LTD
PLOT NO-237, INDUSTRIAL AREA, PHASE-2
PANCHKULA
134109
HARYANA

Agent Name : HARJIT KAUR
Agent Code : AGD0109792
Mobile/Landline Number/Email : 9417011938
: harjitkaurkalka@gmail.com

The genuineness of the policy can be verified through "Verify Your Policy" link at www.uiic.co.in.

For any Information, Service Requests, Claim intimation and Grievances please write to 110207@uiic.co.in

Download Customer App(www.uiic.co.in). REGD. & HEAD OFFICE, 24, WHITES ROAD, CHENNAI - 600014.

Website: <http://www.uiic.co.in>

Printed By : CUSTOMER @ 25/03/2026 12:42:51 PM

For Synthimed Labs Private Limited
Authorised Signatory
(Anil Kumar Chaubey)
Vice President & Corporate Affairs

This document is digitally signed

Signer: DS UNITED INDIA INSURANCE CO LTD 1
Date: Wed, Mar 25, 2026 12:42:47 IST
Location: United India Insurance Company Ltd
Reason: Signing Policy for UIIC by Lalit Kumar



PUBLIC LIABILITY ACT POLICY SCHEDULE

Policy No.	1102072725P120077265	Prev. Pol. No.	1102082724P120493484
Name Of Insured/ID	M/s SISLAX PHARMA P.LTD/23023179451		
Tel. (O)		Fax	
		Tel.(R)	
Business/Occupation	None	Email	*****@gmail.com
Period of Insurance	From 00:00Hours of 31/03/2026 To Midnight of 30/03/2027		

CO-INSURANCE DETAILS:	UIIC 110207 : 100%
PREMIUM:	NINE THOUSAND SIX HUNDRED NINETY-NINE RUPEES ONLY

Description of risk : factory manufacturing drugs
Territory(Geographical Limits)/Jurisdiction:-

Territory	Jurisdiction	Details	Description
India	India	Plot no-237,ind,area,ph-2,panchkula	Factory manufacturing/processing bulk of drugs & chemicals

Subsidiaries:-

Excess/Deductible:-	
Compulsory Excess/Deductible:-	₹0.00
Voluntary Excess/Deductible:-	₹0.00

TRANSPORTATION OF CHEMICALS

INDEMNITY LIMIT	
Any One ACCIDENT	: ₹ 10,000,000.00
Aggregate During the Policy Period (Not exceeding three Times of any one accident of Indemnity Limit)	: ₹ 30,000,000.00
Contribution to environment Relief fund	: ₹ 9,699.00
Other Discount Amount	: ₹ 3181.36

Estimated Annual turnover	
Proposed Year	Previous Year
30000000	30000000

Premium	₹ 9,699.00
IGST(18%)	₹ 1,746.00
Stamp duty	₹ 0.00
Total	₹ 21,144.00
Receipt Number	: 10111020725127554405
Receipt Date	: 25/03/2026

Agency/Broker Code:	AGD0109792
Dev.Officer Code:	


For Synthimed Labs Private Limited
Authorised Signatory
(Anil Kumar Chaubey)
VP-FSC, Admin. & Corporate Affairs

Underwriting Remarks	Public environment covered
----------------------	----------------------------

Customer GST/UIN No.:	06AABCS9892C1Z5	Office GST No.:	04AAACU5552C1ZR
SAC Code:	997139	Invoice No. & Date:	2725I120077265 & 25/03/2026
Amount Subject to Reverse Charges-NIL			

We hereby declare that though our aggregate turnover in any preceding financial year from 2017-18 onwards is more than the aggregate turnover notified under sub-rule (4) of rule 48, we are not required to prepare an invoice in terms of the provisions of the said sub-rule.

Anti Money Laundering Clause:-In the event of a claim under the policy exceeding ₹ 1 lakh or a claim for refund of premium exceeding ₹ 1 lakh, the insured will comply with the provisions of AML policy of the company. The AML policy is available in all our operating offices as well as Company's web site.

LET US JOIN THE FIGHT AGAINST CORRUPTION. PLEASE TAKE THE PLEDGE AT <https://pledge.cvc.nic.in>.

Extension Names	LIMIT OF INDEMNITY (₹) AOA : AOY
Indemnity Cover	10000000:30000000

Underwriting Remarks	Public environment covered
----------------------	----------------------------

RETROACTIVE DATE	LIMIT OF INDEMNITY(₹)
31/03/2016	30000000

Date of Proposal and Declaration: 31/03/2026

IN WITNESS WHEREOF, the undersigned being duly authorised has hereunto set his/her hand at BO 3 CHANDIGARH 110207 on this 25th day of March ,2026

For United India Insurance Co. Ltd.



Affix Policy
Stamp here.

Authorised Signatory.

For Synthimed Labs Private Limited
Authorised Signatory
(Anul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs

- a) ionising radiation or contamination by radioactivity from any nuclear fuel or from any nuclear waste from the combustion of nuclear fuel;
- b) the radioactive, toxic, explosive or other hazardous properties of any explosive nuclear assembly or nuclear component thereof.

4. CONDITIONS:

1. The Insured Owner shall give written notice to the Company as soon as reasonably practicable of any claim made against the Insured Owner or of any specific event or circumstance that may give rise to a claim. The Insured Owner shall immediately give to the Company copies of notice of application forwarded by the Collector and all such additional information and or assistance that the Company may require.
2. No admission, offer, promise or payment shall be made or given by or on behalf of the Insured Owner under this Policy without the written consent of the Company.
3. The Company shall not be liable for any claim for relief made after five years from the date of occurrence of the accident.
4. The Insured Owner shall keep record of annual turnover, and at the time of renewal of insurance declare such turnover and all other details as may be required by the Company. The Company shall at all reasonable times have full rights to call for and examine such records.
5. If at the time of happening of any accident resulting in a claim under this policy there be any other insurance covering the same liability, then the Insured Owner can ask for settlement of the claim by the Company under any of these policies. In such a case, the settlement of the claim will be subject to the limits and terms & conditions of this policy. The Company shall have the right to ask from the other Insurers for contribution of the amount settled beyond the limits of this policy without prejudicially affecting the Insured Owner.
6. This Policy may be cancelled by the Insured Owner by giving 30 days' notice in writing to the Company in which event the Company will retain the premium at short period scale of rates subject to there not having occurred an accident during the Policy period which may give rise to a claim(s), failing which no refund of premium shall be allowable.
7. This insurance may be terminated at any time at the request of the Insured, in which case the Company will retain the premium at customary short period rate for the time the policy has been in force. This insurance may also at any time be terminated at the option of the Company, on 15 days' notice to that effect being given to the Insured, in which case the Company shall be liable to repay on demand a rateable proportion of the premium for the unexpired term from the date of the cancellation. In either case premium will be refunded only if there is no claim under the policy.
8. If the Company shall disclaim liability to the Insured Owner for any claim hereunder and if such claim shall not within 12 calendar months from the date of such disclaimer have been made the subject matter of a suit in a competent court of law, then the claim for all practical purposes shall be deemed to have been abandoned and shall not thereafter be recoverable hereunder or be made the subject matter of any suit.
9. The Company shall not be liable to make any payment in respect of any claim if such claim shall be in any manner fraudulent or supported by any person on behalf of the Insured Owner and/or if the Insurance has been continued in consequence of any material misstatement or non disclosure of any material information by or on behalf of the Insured Owner. In such a case if the Company pays any amount to the claimant due to any Statutory provision, such amount shall be recoverable from the Insured Owner.
10. The Policy and the Schedule shall be read together as one contract and any word or expression to which a specific meaning has been assigned in the Act and the Rules framed thereunder or under this Policy shall bear such specific meaning.
11. Any dispute regarding interpretation of the terms, conditions and exceptions of this Policy shall be determined in accordance with the law and practice of a court of competent jurisdiction within India.
12. "The parties to the contract may mutually agree and enter into a separate Arbitration Agreement to settle any and all disputes in relation to this policy. Arbitration shall be conducted under and in accordance with the provisions of the Arbitration and Conciliation Act, 1996. (Applicable to commercial entities only, & NOT to policies issued to individuals or households or micro or small businesses)."

Environment Relief Fund (ERF) Registration Clause:

In accordance with the provisions of the Public Liability Insurance Act, 1991, and any subsequent amendments thereto, the Insured is required to register with the Environment Relief Fund (ERF) Portal maintained by the Central Pollution Control Board (CPCB).

The Insured shall complete the registration process on the ERF Portal as part of their statutory compliance obligations under the said Act. The Insurer shall not be liable or responsible for any consequences arising out of non-compliance by the Insured in this regard.

For Synthimed Labs Private Limited
 Authorised Signatory
 (A) Kumar Chaubey
 in C&G, Admin. & Corporate Affairs

Communicable Disease Exclusion Clause:

1. Notwithstanding any provision, clause or term of this insurance contract to the contrary, this insurance Contract excludes any loss, cost, damage, liability, claim, fines, penalty or expense or any other amount of whatsoever nature, whether directly or indirectly and/or in whole or in part, related to, caused by, contributed to by, resulting from, as a result of, as a consequence of, attributable to, arising out of, arising under, in connection with, or in any way involving (this includes all other terms commonly used and/or understood to reflect or describe nexus and/or connection from one thing to another whether direct or indirect):
 - 1.1 a Communicable Disease and/or the fear or threat (whether actual or perceived) of a Communicable Disease and/or the actual or alleged transmission of a Communicable Disease regardless of any other cause or event contributing and/ or occurring concurrently or in any sequence thereto, and
 - 1.2 a pandemic or epidemic, as declared by the World Health Organisation or any governmental authority.
2. As used herein, Communicable Disease means: any infectious, contagious or communicable substance or agent and/or any infectious, contagious or communicable disease which can be caused and/or transmitted by means of substance or agent where:
 - 2.1 the disease includes, but is not limited an illness, sickness, condition or an interruption or disorder of body functions, systems or organs, and
 - 2.2 the substance or agent includes, but is not limited to, a virus, bacterium, parasite, other organism or other micro-organism (whether asymptomatic or not); including any variation or mutation thereof, whether deemed living or not, and
 - 2.3 the method of transmission, whether direct or indirect, includes but not limited to, airborne transmission, bodily fluid transmission, transmission through contact with human fluids, waste or the like, transmission from or to any surface or object, solid, liquid or gas or between organisms including between humans, animals, or from any animal to any human or from any human to any animal, and
 - 2.4 the disease, substance or agent is such:
 - 2.4.1 that causes or threatens damage or can cause or threaten damage to human health or human welfare, or
 - 2.4.2 that causes or threatens damage to or can cause or threaten damage to, deterioration to, contamination of, loss of value of, loss of marketability of or loss of use or usefulness of, tangible or intangible property. For avoidance of doubt, Communicable Disease includes but is not limited to Coronavirus Disease 2019 (Covid -19) and any variation or mutation thereof.
3. For further avoidance of doubt, any contingent or other business interruption loss, cost, damage, loss of income, loss of use, increased cost of working and/or extra expense arising out of or attributable to:
 - 3.1 any partial or complete closure of and/or slowdown in, including but not limited to any closure by or under the advisories of public, military, government or civil authorities, or any denial of access to insured premises, or customer and or supplier premises (including service / utility providers), or
 - 3.2 change in consumer behaviour, or
 - 3.3 an absence of infected employees or employees suspected of being infected shall not be covered by this insurance Contract. .
4. For still further avoidance of doubt, loss, cost, damage, liability, claim, fines, penalty or expense or any other amount excluded hereby, includes but is not limited to any cost to identify, clean-up, detoxify, disinfect, decontaminate, mitigate, remove, evacuate, repair, replace, monitor, sanitize or test: (1) for a Communicable Disease or (2) any tangible or intangible property covered by this [Insurance Contract] that is affected by such Communicable Disease.
5. It is clarified that (1) no other prior, concurrent or subsequent provision, clause, term or exception of this insurance Contract (including (but not limited to) any prior, concurrent or subsequent endorsement and/or any provision, clause, term, buy back or exception that operates, or is intended to operate, to extend the coverage of, or protections provided by, this insurance Contract] by whatever name called like any coverage extension, additional coverage, global extension, exception to any exclusion); (2) any change in the law, clause or similar provision; (3) any follow the fortunes clause or similar provision; and/or (4) no change in the law or any regulation (to the extent permitted by applicable law), shall operate to provide any insurance, coverage or protection under this insurance Contract that would otherwise be excluded through the exclusion set forth in this [Endorsement][Clause].
6. If the insurer alleges that by reason of this [Endorsement][Clause] any amount is not covered by this insurance Contract the burden of proving the contrary shall rest in the insured.

Pandemic /Epidemic Specific Exclusion Clause:

Notwithstanding any provision, clause or term of this Contract, this insurance Contract excludes any first party and/or third party actual or alleged loss, injury, sickness, disease, death, medical payment, defence cost, cost, damage, liability, claim, fines, penalty, compensation, expenses or any amount of whatsoever nature, whether directly or indirectly and/or in whole or in part, arising out of (this includes all other terms commonly used and/or understood to reflect or describe, direct or indirect nexus and/or connection between one thing and another), intentional or unintentional violation of

- a. The provisions of Disaster Management Act, 2005 as amended from time to time
- b. The provisions of The Epidemic Diseases Act 1897 as amended from time to time
- c. The provisions of any act dealing with public health and/or public safety
- d. The rules, regulations, orders, guidelines, policies, notification etc issued from time to time under any of the above acts.

'Policy form - Claims made with right to defend.'

This is a system generated document and any manual alteration / correction / overwriting in the document will make it invalid.

For Synthimed Labs Private Limited
Authorised Signatory
(Arul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs



Annex - XII

Livasa


We care for life

Livasa Hospital, Mohali

TO WHOM MAY IT CONCERN

This is to certify that no case of occupational disease has occurred in any employee Sislax Pharma Pvt. Ltd. At Panchkula from 17.12.2025 to 03.07.2026.

For Synthimed Labs Private Limited
Authorised Signatory
(Atul Kumar Chaubey)
VP-ESG, Admin. & Corporate Affairs



Hospital Address: Sector 71, SAS Nagar, Mohali, Punjab-160071		
Ivy Health and Life Sciences Private Limited CIN No.: U85110PB2005PTC027898 GSTIN: 03AABC14594F1ZQ	Careivy Hospitals Private Limited CIN No.: U86100PB2023PTC059469 GSTIN: 03AALCC2814L1ZQ	Registered Address: Administration Block, Livasa Hospital, Sector-71, Mohali, Punjab -160071
For any service queries or appointments - Call: +91 8078880788, 6239502002 cs@livasahospitals.in www.livasahospitals.com		Corporate Office: 3 rd Floor, C-133, Industrial Area, Phase 8, SAS Nagar, Mohali, Punjab-160071 Phone: 91-172-7170000, Fax: 91-172-2274900


This letterhead comprises Ivy Health and Life Sciences Private Limited and Careivy Hospitals Private Limited, pursuant to the Scheme of Arrangement approved by the Hon'ble National Company Law Tribunal, Chandigarh Bench, vide Order dated 03/06/2025 in CP (CAA) No. 12/Chd/Pb/2024.

(13)
Annexure - ~~XVII~~

M/s Sislex Pharma Pvt. Limited, Panchkula (HR)
M/s Sislex Pharma Pvt. Limited
Industrial Area, Panchkula, (HR)

Compliance Report of Environmental Clearance
Specific Condition:-

S.No	Description	Remark
i	The gaseous emission (SO ₂ , nOX & Hcl) particulate matter from various process unit shall conform to the standards prescribed by the concerned authorities from time. At no time the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(S) adopted by the unit the respective unit shall not be restarted untill the control measures are rectified to achieve the desired efficiency.	Agreed & Complied
ii	Ambient air quality monitoring stations shall be set up in the downwind direction as well as where maximum ground level concentration are anticipated in consultation with the SPCB.	Agreed and Complied.
iii	For control of particulate emmissions, boiler shall be provided with cyclone seprators and stack height as per Central pollution Control Board Guideline. The process emission shall be scrubbed with two stage wet scrubber solution shall be evoporator.	Agreed and Complied. Industry has provided the 2 stage alkaly scrubber & stack height is provided 32 meter, Industry has provided cyclone dust collector, alkaly scrubber.
iv	Spent solvent shall be recovered as for as possible & recovery shall not be less than 95%. During Purification Process. solvent vapors are emmitted from purification tanks as fugative emissions. Action shall be taken to reduce the emmission as for as possible . mUse of toxic solvent like Methylene chloride (M.C) etc shall be minimum . All venting equipment shall have vapour recovery system.	Noted.
v	Industry Shall switch over to aqueous based coating film in place of use of Methylene chloride in coating operation , in a phased manner.	Noted and Agreed.
vi	Industry shall switch over to use of non halogenated solvent in place of halogenated solvents in a phased manner.	Noted and Agreed.


Atul Kumar Chaudhary
VP-EHS

vii	The Company shall undertake following waste minimization measure :- • Metering and control of quantities of active ingredient to minimize spillage • Reuse of by product from the process as raw materials or as raw material substitutes in other processes. • use of automated filling to minimize spillage. • use of closed feed system into batch reactor. • venting equipment through vapour recovery system • use of high pressure hoses for equipment clearing to reduce waste water generation.	Noted & Agreed
viii	Fugative emission in the work zone environment, product, raw material storage area shall be regularly monitored. the emission shall conform to the limits imposed by SPCB.	Noted & Agreed.
ix	The effluent generation shall not exceed 9.0127 m ³ /d (5.0127 m ³ /d) of high TDS effluent . 3.0 m ³ /d medium TDS stream and 1.0 m ³ /d of low TDS stream and 3.0 m ³ /d of domestic effluent . The effluent shall be segregated into high TDS effluent and Low TDS effluent . Effluent shall be evaporated in multiple effect evaporator . The domestic effluent shall be public sewer.	Noted & Agreed.
x	Solid waste generated in the form of residue from the multiple effect evaporator and incinerator ash shall be stored in the hazardous waste storage area within the plant premises as per the CPCB guideline.	Agreed & Complied
xi	The company shall develop rain water harvesting structure to harvest the run of water for recharge of ground water.	Not provided, Local Authority does not allow for Rain water harvesting in the Red Category industry company premises.
xii	Green belt shall be provided in an area of 25% to mitigate the fugative emission all around the plant. Development of green belt shall be as per the Central Pollution control Board guideline	Agreed & Complied. Green Belt cover land are provided as per the Guideline.



 Authorized Signatory
 (Atul Kumar Chaubey)
 VP-EHS

M/s Sislax Pharma Pvt. Limited, Panchkula (HR)

xiii	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Agreed & Complied. Occupational health surveillance of the worker carry out on regular basis.
------	---	---


General Condition :-

S.No	Description	Remark
i	The project authorities shall strictly adhere to the stipulation made by the J&K State Pollution control board.	Noted
ii	At no time, The emission shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.	Agreed & Noted
iii	No Further expansion or modification in the plant shall be carried out without prior approval of the the ministry of Environment and forests. In case of deviation or alterations in the project proposal from those submitted to this ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, If any	Agreed & Noted
iv	The project authorities shall strictly comply with the rules and regulation under manufacture, Storage and import of Hazardous chemical s Rules, 1989 as amended in October 1994 and January 2000. Authorization from the SPCB shall be obtained for collection, treatment storage and disposal of hazardous wastes.	Complied.
v	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003. Authorization from the State Pollution Control Board must be obtained for collection s/treatment/storage/disposal of hazardous wastes.	Complied.


(Atul Kumar Chaubey)
VP-EHS

M/s Sislax Pharma Pvt. Limited, Panchkula (HR)

vi	The overall noise level in and around the plant area shall be kept well within the standards (85d BA) by providing noise control measures including. acoustic hoods, silencers, enclosures etc. on all sources of noise generation . Environment (Protection) Act, Rules 1989 viz dBA 75 day time) and 70 dBA (night time).	Agreed & Complied.
vii	The Project propnent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP Report.	Agreed & Noted
viii	A seperate Environmental Managment Cell Equiped with full flagged laboratory facilities shall be set up to carry out the environmental managment and monitoring functions.	Complied.
ix	The project authorities shall earmark seprate funds to impliment the conditions stipulate by the Ministry of Environment and Forest as well as the state Government along With the implimentation schedule for all the condition stipulated herin . The funds so provided shall not be diverted for any other purpose	Noted & Agreed
x	The implimentation of the Project Vis-a-Vis environmental action plan shall be monitored by the Minitry Regional office at Chandigarh / SPCB /CPCB. A six monthly compliance status report shall be submitted to minitoreing agencies.	Complied, Six Monthly compliance status report has been submitted in June & December month of the finacial year.
xi	The project Proponent shall inform the public that the project has been accorded environmental clearance by the ministry and copies of the clearance letter are available with HSPCB/commitee and may also be seen at website of the Ministry . This shall be advertised within with in scbven days from the date of Issue of the clearance letter, at least in two local newspaper that are widely circulated in the region of which one shall be in the vernacular language of the locality concerend and copy of the same shall be forwarded to the ministry of Regional office at chandigarh.	Agreed & Complied
xii	The project authorities shall inform the regional office as well as the ministry , the date of financial closure and final approval of the project by the concerend authorities and date of the start of the project.	Noted


 Authorised
 (Atul Kumar Chandra)
 VP-EHS



B. N. Concast Pvt. Ltd

M/o Re-refined Lubricating oil / Transformer oil / Hydraulic oil / Machine oil

DOC no. 705

AGREEMENT

This Agreement is made on 1st Day of July 2023 Between: -

1. M/s SISLAX PHARMA PVT. LTD., Plot No. 237, Industrial Area,
Phase 2, Panchkula, Haryana.

MB: 98141-32480, Email: sislax.pharma@gmail.com

AND

2. M/s B.N. Concast Pvt. Ltd., Plot No. 18, HSIIDC Complex, Vill Alipur, Barwala,
Dist. Panchkula, Haryana. Pin 134112. Email- bnconcast@gmail.com,
MB: 9803450822

Resolved That: -

M/s B.N. Concast Pvt Ltd is authorized reproprocessors of Used oil ,i.e., to collect, treat, store and dispose off Hazardous waste (category 5.1) as per the guidelines under the Environment (Protection act 1986) & the notifications issued there under, Hazardous waste (Management Handling & Transboundary Movement) rules, 2016 as amended (the rule).

Whereas B N Concast pvt ltd will lift the hazardous Waste, being generated at the unit of First Party. The present agreement shall remain in force upto 30-06-2028 from the date of signing of this agreement. Please find PCB certificates attached with this letter.

FOR M/s SISLAX PHARMA PVT. LTD.

Authorized Signatory

FOR M/s B.N. CONCAST PVT. LTD.

Authorized Signatory





Renewal
Certificate

To whomsoever it may concern
This is to certify that

Certificate No : 4100005343

SISLAX PHARMA PVT LTD

**PLOT NO. 237, INDUSTRIAL AREA,
PHASE- II,,
PANCHKULA
Haryana**

is a valid member of

Gujarat Enviro-Protection And Infrastructure (Haryana) Pvt Limited

for Integrated Common Hazardous Waste Management Facility.

This membership is valid for a period of
5 Years

For, Gujarat Enviro-Protection And Infrastructure (Haryana)
Pvt Limitec

Date of issue : 11.04.2025

Date of expiration : 10.04.2030

Place of issue : SURAT

Waste Information

Director/Authorised signatory

SrNo	Type Of Waste	Sign Qty(TPA)	SrNo	Type Of Waste	Sign Qty(TPA)
1	INCINERATION ASH. - 37.2	0.050		-	0.000
Total Sign Qty (TPA)					0.050

SUBJECT TO FARIDABAD JURISDICTION

SUBJECT TO FARIDABAD JURISDICTION

Page No : 1

Corporate Office : COE Building, Gujarat Eco Textile Park, Block No. 181/B, Kala Ghora, Taluka Palsana, Surat-394315

Ph.: +91 261 289 0606-7, 7069084907

Regd.Office: 370,SVP. Road, Shop 8, Plot-384, Cigaretwala Bldg,Opp.CBI, Prathna Samaj, Nr. Harkishandas Hospital, Mumbai-400004.



**Haryana
Environmental
Management
Society**

SCO 45, FIRST FLOOR ,
Huda Market, Sector - 31,
Gurugram, Haryana(India),
122001
TeleFax: 0124-4100269
Tel: 0124-4031501
Email: hems_hry@hems.org.in

RECEIPT / CERTIFICATE


Receipt No : 3157
Date : 02-04-2026
Membership No. HEMS : HEMS:CMM/HYP/0048
Received with thanks from M/s : Sis lax Pharma Pvt. Ltd
Plot No. 237, Indl. Area, Phase -II Panchkula-134113 (Haryana), Panchkula, Haryana, India
Amount of Rupees : 2360.00
Vide Cheque/DD/NEFT : Bank RRN
Cheque/DD Date : 02-04-2026
Drawn on : BKID_C
Towards : Annual Subscription Fee for the F.Y. 2026-2027

All Cheques/DDs are subject to realization

Authorized Signatory

This is a system-generated receipt; no signature is required.

END


Authorised Signatory
(Atul Kumar Chaubey)
VP-EHS